



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200  
Fax 613 632-5246



D5807-1

Job Sheet 207508



**POSITIVE RECALL**

EFFECTIVE 2/10/12 AUTH 34

RELEASED DATE

POSITIVE  
RECALL

Part No: D5807-1

Job Qty: 4 pcs

Part Name: Back Rim



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 2/27/20

Job Tracking No:

Due Date: 3/27/20

Created By: Jennifer Renwick

Type: Stock

Description:

Note: URF 2020-525 DWG D5807 Rev A IPP Rev. A 2020.02.14 New issue DP Verify DD

Ship Via:

## Bill of Materials

## Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
100	Large Fab - Basket - 1	4 pcs	3/27/20		0.00	0.80	Large Fab - 1		
						1.60	Large Fab - 10		
							Large Fab - 2		
							Large Fab - 3		
							Large Fab - 4		
							Large Fab - 5		
							Large Fab - 6		
							Large Fab - 7		
							Large Fab - 8		
							Large Fab - 9		
							Large Fab - 11 (Various)		
							Large Fab - 12		
110	QC 5	4 pcs	3/27/20		0.00	0.00	QC 5 - 10		
							QC 5 - 12		
							QC 5 - 17		
							QC 5 - 18		
							QC 5 - 19		
							QC 5 - 22		
							QC 5 - 24		
							QC 5 - 3		
							QC 5 - 43		
							QC 5 - 49		
							QC 5 - 51		
							QC 5 - 58		
							QC 5 - 68		
							QC 5 - 9		
							QC 5 - 50		
							QC 5 - 30		
							QC 5 - 40		
							QC 5 - 61		
							QC 5 - 81		



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
CANADA  
TEL: 1 613 632-5200  
Email: sales@dartaero.com  
www.dartaerospace.com

Container No: S264269



Part: D5807-1

Job No: 207508

Serial No/Batch: S264269

Revision: A

Inspector:

Exp Date:

Instructions:

Date: 03/10/20

MAR 13 2020 4:08 PM

Plex 3/11/20 3:54 PM Dart.Renwick.Jennifer

120 Packaging 3-1 - Stock - B4B 4 pcs

3/27/20

0.00 0.00

Packaging 3 - 1 - B4B

Packaging 3 - 2 - B4B

Packaging 3 - 3 - B4B

Packaging 3 - 4 - B4B

Packaging 3 - 5 - B4B

Packaging 3 - 6 - B4B

Packaging 3 - 7 - B4B

Packaging 3 - 8 - B4B

Packaging 3 - 9 - B4B

Packaging 3 - 10 - B4B

Packaging 3 - 11 - B4B

Packaging 3 - 12 - B4B

Packaging 3 - 13 - B4B

Packaging 3 - 14 - B4B

Packaging 3 - 15 - B4B

Packaging 3 - 16 - B4B

Packaging 3 - 17 - B4B

Packaging 3 - 18 - B4B

Packaging 3 - 19 - B4B

Packaging 3 - 20 - B4B

Packaging 3 - 21 - B4B

Packaging 3 - 22 - B4B

Packaging 3 - 23 - B4B

Packaging 3 - 24 - B4B

Packaging 3 - 25 - B4B

Packaging 3 - 26 - B4B

Packaging 3 - 27 - B4B

Packaging 3 - 28 - B4B

Packaging 3 - 29 - B4B

Packaging 3 - 30 - B4B

Packaging 3 - 31 - B4B

Packaging 3 - 32 - B4B

Packaging 3 - 33 - B4B

Packaging 3 - 34 - B4B

Packaging 3 - 35 - B4B

Packaging 3 - 36 - B4B

Packaging 3 - 37 - B4B

MA

130 QC 21 - SA

4 pcs

3/27/20

0.00 0.00

QC 21 - SA - 21

QC 21 - SA - 70

QC 21 - SA - 53

MAR 19 2020

Part Op 100 - 1- Cut and drill rib as per dwg 2- Deburr

Descriptions: 110 - QC5- Inspect part completeness to step on W/O

120 - Identify as per dwg & Stock Location: *MA 004*

130 - QC21- Final Inspection - Work Order Release

## Job BCM

Part / Item	Component Name	Quantity	Operation	Container
M4130NTS0.750W.035	4130 Square Tube 0.750 X 0.035W	25,3320 ft (6,333 ea)	100-Large Fab - Basket - 1	5250794


## Job Allocations

Operation	Component Part	Required	Inventory	Allocated
100-Large Fab - Basket - 1	M4130NTS0.750W.035	25	324	0

## Part Specifications

Specifications could not be found.

Plex 3/11/20 3:54 PM Dart.Renwick.Jennifer







Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# PURCHASE ORDER

## POHB045594



**Supplier:** FAC001-VU  
Factory Steel  
14020 Oakland Ave.  
Detroit, MI 48203 USA  
Phone: 313 883 6300  
Fax: 313 883 4883

**PO No:** POHB045594

**PO Date:** 1/16/20

**Due Date:** 2/4/20

**Purchase Order**

**Revision:**

JAN 16 2020

**Revision Date:**

**Ship-To Contact:** Phone:

**Ship To:** 1270 Aberdeen Street  
Hawkesbury  
ON  
K6A 1K7 Canada  
Phone: 613-632-5200

**Via:** Ground

**Pynt Terms:** Net 30

**Freight Terms:**

**Special Comments:**

### Items

Line Item	Job	Part	Drawing	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
1		M4130NTS0.750W.035			4130 Square Tube 0.750 X 0.035W : MATERIAL: AISI 4130N STEEL SQUARE TUBING PER ONE OF THE FOLLOWING SPEC'S: MIL-T-6736, AMS 6371, 6390, 6361, 6362, 6373 OR 6374	Firmed	-	2/4/20	600 ft	0 ft	600 ft	\$7.25/ft	\$4,350.00
2		M4130NTS1.000W.065			4130 Square Tube 1.000" X 1.000" X 0.065"W : MATERIAL: AISI 4130N STEEL SQUARE TUBING PER ONE OF THE FOLLOWING SPEC'S: MIL-T-6736, AMS 6371, 6390, 6361, 6362, 6373 OR 6374	Firmed	-	2/4/20	160 ft	0 ft	160 ft	\$11.70/ft	\$1,872.00
												<b>Grand Total: \$6,222.00</b>	

Plex 1/16/20 11:38 AM Dart.Lavoie,Chantal

# PACKING LIST

No. 67371

PG 1 OF 1

FACTORY STEEL & METAL SUPPLY 14020 OAKLAND AVENUE DETROIT, MI 48203  (313)883-6300 PHONE (313)883-4883 FAX	CUSTOMER PO POH8045594		BUYER CHANTEL LAVOIE Tel (613) 632-3336 Fax (613) 632-4443	SHIP DATE 01/21/2020
	CUSTOMER JOB			SHIP VIA ****TRUCK****
SOLD TO DART AEROSPACE 1270 ABERDEEN STREET HAWKESBURY, ON K6A 1K7	SALES ORDER 60306	ORDER DATE 01/16/2020	SALES REP MICK HALON	RESALE # 59-2958719
	SHIP TO DART AEROSPACE 1270 ABERDEEN STREET HAWKESBURY, ON K6A 1K7		SHIP INST CALL WHEN READY	CARRIER TRUCK
			PRO#	BLIND Y/N N
			TERMS NET 30 DAYS	FOB DETROIT

LINE	QUANTITY	DESCRIPTION	WIDTH	LENGTH	WEIGHT		
1	609.917 FT	4130N CD SMLSS SQ TUBE 3/4" X .035W  Tag Mill Ref # Heat 153513 023679 616506	Pcs Length 26 20' / 24' RL	20' / 24' RL  Feet 609.917	207.554  Weight 207.554		
2	171.333 FT	4130N CD SMLSS SQ TUBE 1" X .065W  Tag Mill Ref # Heat 153514 072143 072067859	Pcs Length 7 22' / 23' RL	22' / 23' RL  Feet 171.333	141.606  Weight 141.606		
3	1 PCS	PACKING CHARGES  MTRS (CIRCLE) FAX SHIPMENT INVOICE ALL  DATE: _____ INITIAL: _____					

TOTAL WT 349 LBS									
RECEIVED BY - SIGNATURE			RECEIVED BY - PRINTED NAME			DATE RECEIVED			

LIVE!

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M4130NTS 0.750W.035 PO / BATCH NO.: POM13045594  
 DATE: JAN 27 2020 5250794

MATERIAL CERT REC'D: YES  
 QUANTITY RECEIVED: 609 PF  
 QUANTITY INSPECTED: 609 PF  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .750W.035  
 THICKNESS RECEIVED: .750W.035  
 SHEET SIZE ORDERED: —  
 SHEET SIZE RECEIVED: —

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="checkbox"/> N	MIL-T-6736
CORRECT THICKNESS	<input checked="" type="checkbox"/> N	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/>	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> N	616506
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: _____	OAS	SIGNED OFF BY: _____	
DATE: <u>JAN 27 2020</u>	32	DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



LIVE 1  
M4130NTS 0.750W.035

S250794

616506



DESIGN DH	DRAWN BY DH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. M4130N-TS	REV. A SHEET 1 OF 1
DATE 05.02.09		TITLE 4130N SQUARE TUBING	SCALE NTS
A	05.02.09	NEW ISSUE	

PURCHASE MATERIAL:

AISI4130N STEEL SQUARE TUBING PER ONE OF  
THE FOLLOWING SPEC'S: MIL-T-6736, AMS 6371,  
6360, 6361, 6362, 6373 OR 6374

DAS  
82  
9-89

PART NUMBER: M4130N-TS | A.AAA | W | .TTT |

WHERE A.AAA = WIDTH IN INCHES  
TTT = WALL THICKNESS IN INCHES

EXAMPLE: 0.50" X 0.035" WALL = M4130N-TS0.500W.035

RELEASED  
25 0.15 [Signature]

Copyright © 2005 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



1



**PLYMOUTH TUBE CO.**  
1208 East 12th Street, Detroit, Michigan 48203  
Phone: (313) 673-1815 Fax: (313) 672-7545  
**TRUST YOUR SOURCE ACCEPT NO SUBSTITUTIONS**



# PRODUCT CERTIFICATION

SALES ORDER - LINE / RLS  
175629 - 1 / 0

SHIP TO

Factory Steel & Metal Supply C  
14020 Oakland Avenue  
Detroit, MI 48203  
USA

WORK ORDER 023679 PCS/HEAT 0  
HEAT NUMBER 616508  
MELT SOURCE Benteler Steel & Tube-Germany

CUSTOMER P.O. 3887	CUSTOMER PART SQ-N34035	QUANTITY	LADING NO	CERT ID / REV /	CERT DATE								
<b>PART DESCRIPTION</b> SHSQ0750035J300 ***** Square OD ***** Side1: 0.7500 Max:0.7600 Min:0.7400 Side2: 0.7500 Max:0.7600 Min:0.7400 Wall: 0.0350 Max:0.0380 Min:0.0320 Length: 10.00/25.00 Spec: MIL-T 6736B Seamless Aircraft Grade: 4130 Anneal: Cond N													
<b>CERTIFICATION REQUIREMENTS</b> FAR BAA (FAR 52.225-1 Buy America Act Supplies), DFARS 252.225-7001 By America Act & Bal. of Payments Program FAR TAA (FAR 52.225-5 Trade Agreements)(Paragraph 1,3,4,5) This material was fully inspected and conforms to the requirements of ASTM A-450. The Grain size is determined and reported by the raw material supplier in accordance to ASTM E-112. This raw material was magnetic particle inspected by the raw material supplier in accordance to AMS 2640J and/or ASTM E-1444, and rated as Frequency, and Severity to AMS 2301, latest revision. Yield is determined by using the 0.2% offset method. Additional Specifications - AMS-T 8736B, 6360P & 6371L. Material produced in accordance to ASTM A-519-17 and MIL-T 6736B. This material meets Plymouth ProMoity specifications. Jominy results: J(5/16")=45 J(8/16")=38													
<b>Chemical Analysis</b>													
C	Mn	P	S	Si	Al	Cr	Mo	Ni	Pb	Cu	V	Ti	Sn
.310	.55	.011	.002	.290	.036	.87	.18	.12	.001	.16	.002	.002	.010
<b>Physical Properties</b>													
Freq.	Severity	Grain Size											
.020	.015	9											
<b>Mechanical Properties</b>													
<b>TEST</b>	<b>UNITS</b>	<b>#TESTS</b>	<b>HIGH</b>	<b>LOW</b>	<b>AVERAGE</b>	<b>STD-DEV</b>							
Tensile	Psi	6	126660	125480	126065	482							
Yield	Psi	6	120930	119880	120367	374							
Elongation	%	6	21	20	20	1							
Rockwell C	Rc	6	25	25	25	0							
<b>TEST</b>	<b>RESULT</b>												
Decarb/OD	Pass												
Total ID/OD decarb	Pass												

I certify that the results are a true and correct copy of the records prepared and maintained by Plymouth Tube Company, Streater in compliance with the requirements of the cited specification. Chemistry is as reported by the Steel supplier. This test report cannot be reproduced or distributed except in full without the written permission of Plymouth Tube.

*Janet Quessell*  
Quality Assurance

①



**PLYMOUTH TUBE CO.**

1209 East 12th Street, Detroit, MI 48203  
Phone: (313) 473-1616 Fax: (313) 473-7343

TRUST YOUR SOURCE! ACCEPT NO SUBSTITUTES!



**PRODUCT CERTIFICATION**

SALES ORDER - LINE / RLS

175629 - 1 / 0

SHIP TO

Factory Steel & Metal Supply C  
14020 Oakland Avenue  
Detroit, MI 48203  
USA

WORK ORDER 023679

PCS/HEAT 0

HEAT NUMBER 616506

MELT SOURCE Benteler Steel & Tube-Germany

CUSTOMER P.O. 3887	CUSTOMER PART SQ-N34035	QUANTITY	LADING NO	CERT ID / REV /	CERT DATE
PART DESCRIPTION SHSQ0750035J300					
Additional Specification(s)					
<u>TEST</u> Brinell	<u>UNITS</u> Brinell	<u>#TESTS</u> 6	<u>HIGH</u> 253	<u>LOW</u> 253	<u>AVERAGE</u> 253
<u>STD-DEV</u> 0					
<p>This test report data is for the heat Chemistry Stated above.</p> <p>The material in this test report is:</p> <ul style="list-style-type: none"><li>1) Drawn in the USA</li><li>2) Free from Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Mercury contamination.</li><li>3) NAFTA compliant.</li></ul> <p>End of Certification</p>					

I certify that the results are a true and correct copy of the records prepared and maintained by Plymouth Tube Company, Streater in compliance with the requirements of the cited specification. Chemistry is as reported by the Steel supplier. This test report cannot be reproduced or distributed except in full without the written permission of Plymouth Tube.

  
Quality Assurance

Entered: \_\_\_\_\_ Date: \_\_\_\_\_



## WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. \_\_\_\_\_

Route update only ☐

Job: _____  Part No. _____	<b>DISPOSITION</b>  Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/>	<b>DEPARTMENT/PROCESS</b>  <div style="display: flex; justify-content: space-between;"> <div>           Skid-tube <input type="checkbox"/>            Machining <input type="checkbox"/>            Large Fab <input type="checkbox"/> </div> <div>           Cross tube <input type="checkbox"/>            Small Fab <input type="checkbox"/>            Finishing <input type="checkbox"/> </div> <div>           Eng. (Non-AW) <input type="checkbox"/>            Prod. Eng. Coord. <input type="checkbox"/>            Rec/Store/Packaging <input type="checkbox"/> </div> <div>           Engineering <input type="checkbox"/>            Water Jet <input type="checkbox"/>            Supplier <input type="checkbox"/>            Quality <input type="checkbox"/> </div> </div>			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor	
<b>Root Cause</b>  <div style="display: flex; flex-direction: column;"> <div>Operator <input type="checkbox"/></div> <div>Manufacturing Process <input type="checkbox"/></div> <div>Equip/Tooling <input type="checkbox"/></div> <div>Handling/Presservation <input type="checkbox"/></div> <div>Material <input type="checkbox"/></div> <div>Product Improvement <input type="checkbox"/></div> <div>Process Improvement <input type="checkbox"/></div> <div>Human Factors <input type="checkbox"/></div> </div>		<b>FAULT CATEGORY</b>  <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> <input type="checkbox"/> Pressure/Forced  <input type="checkbox"/> Bending  <input type="checkbox"/> Crushing  <input type="checkbox"/> Cracks  <input type="checkbox"/> Crimp/Kink/Ripple/Wave/Twist  <input type="checkbox"/> Marks/Chatter  <input type="checkbox"/> Mislabeled         </div> <div style="width: 50%;"> <input type="checkbox"/> Contamination  <input type="checkbox"/> Misaligned/off center  <input type="checkbox"/> BOM/Route  <input type="checkbox"/> Broken/Damage/Defect  <input type="checkbox"/> Incomplete/Unclear Instructions  <input type="checkbox"/> Drill Holes  <input type="checkbox"/> Fit/Function         </div> <div style="width: 50%;"> <input type="checkbox"/> Power Loss/Surge  <input type="checkbox"/> Folio/Program  <input type="checkbox"/> Grain Direction  <input type="checkbox"/> Weld  <input type="checkbox"/> Wrong Stock Pulled  <input type="checkbox"/> Out of Sequence  <input type="checkbox"/> Off-set/Set-up         </div> <div style="width: 50%;"> <input type="checkbox"/> Positioned Wrong  <input type="checkbox"/> Outside Tolerance  <input type="checkbox"/> Drawing  <input type="checkbox"/> Finish  <input type="checkbox"/> Part Lost/Missing  <input type="checkbox"/> Misread         </div> </div>			
Other/Details:					